

Test Report

No. CANEC2122067403

Date: 02 Dec 2021

Page 1 of 3

DONGGUAN BAIHUI SILICA GEL MATERIAL CO., LTD

BUILDING 2, NO. 88, SHALI ROAD, DALANG TOWN, DONGGUAN CITY, GUANGDONG PROVINCE

The following sample(s) was/were submitted and identified on behalf of the clients as : silica gel

SGS Job No. : CP21-062706 - GZ
Model No. : 950A
Client Ref. Info. : Used for 910, 920, 930, 940, 950, 960, 970, 980, 910A, 920A, 930A, 940A, 950A, 960A, 970A, 980A, 9120, 9130, 9140, 9150, 9160, 9170, 9180
Date of Sample Received : 24 Nov 2021
Testing Period : 24 Nov 2021 - 02 Dec 2021
Test Requested : Selected test(s) as requested by client.
Test Method : Please refer to next page(s).
Test Results : Please refer to next page(s).

Result Summary :

Test Requested	Conclusion
FDA 21 CFR 177.2600–Total extractive residues	PASS

Signed for and on behalf of
SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch

Kim Cai

Kim Cai
Approved Signatory

scan to see the report



CC2D9595



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center Chemical Laboratory.

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kazhu Road, Science Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com

Test Report

No. CANEC2122067403

Date: 02 Dec 2021

Page 2 of 3

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description	Material (claimed by the client)
SN1	CAN21-220674.001	Translucent silicone sheet	Silicone

FDA 21 CFR 177.2600--Total extractive residues

Test Method : With reference to US FDA 21 CFR 177.2600.


<u>Simulant Used</u>	<u>Time</u>	<u>Temperature</u>	<u>Max. Permissible Limit</u>	<u>Result of 001</u>	<u>Comment</u>
Distilled Water	7.0hr(s)	Reflux temperature	20mg/inch ²	<0.5mg/inch ²	PASS
Succeeding Extraction	2.0hr(s)	Reflux temperature	1mg/inch ²	<0.5mg/inch ²	PASS
n-Hexane	7.0hr(s)	Reflux temperature	175mg/inch ²	10.8mg/inch ²	PASS
Succeeding Extraction	2.0hr(s)	Reflux temperature	4mg/inch ²	<0.5mg/inch ²	PASS

Notes :

mg/inch²= milligram per square inch



Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

